

Supplemental material to:

Meza-Yáñez, R., Llamas-González, M., Landa-Jaime, V., Michel-Morfin, E., Flores-Vargas, R., Delgado-Trejo, C., Liñan-Cabello, M.A. and Ortega-Ortiz, C.D. (2021) Strandings of pygmy sperm whales (*Kogia breviceps*) in the Mexican Central Pacific. *Latin American Journal of Aquatic Mammals* 16(1): 46-50.

<https://doi.org/10.5597/lajam0027>



Figure S1. Short-beaked common dolphin (*Delphinus delphis*) becomes isolated from its group when being chased by killer whales (*Orcinus orca*) off Cabo San Lucas, Baja California (Mexico).



Figure S2. Two killer whales (*Orcinus orca*) breaching while chasing a short-beaked common dolphin (*Delphinus delphis*) off Cabo San Lucas, Baja California (Mexico).



Figure S3. Killer whale (*Orcinus orca*) side breaching while chasing a short-beaked common dolphin (*Delphinus delphis*) off Cabo San Lucas, Baja California (Mexico).



Figure S4. Killer whale (*Orcinus orca*) breaching to intercept a short-beaked common dolphin (*Delphinus delphis*) off Cabo San Lucas in Baja California (Mexico).



Figure S5. A short-beaked common dolphin (*Delphinus delphis*) trying to escape predation from two killer whales (*Orcinus orca*) off Cabo San Lucas in Baja California (Mexico).